

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18	("5649108" "5754543" "5841775" "5856981" "5881243" "6256295" "6456599" "6584075" "6658479"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:24
L2	4181	interconnect\$3 near6 rack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:24
L3	68	L2 and rout\$3 near5 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 11:25
L4	15	L3 and (@AD < "19990715" or @PRAD < "19990715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:21
L5	1076	709/249.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:16
L6	480	439/43.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:16
L7	911	361/724.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:16
L8	2680	709/238.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:17

EAST Search History

L9	4	L7 and (L6 or L8 or L5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:17
L10	4966	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:17
L11	2680	709/238.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:17
L12	307	709/251.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:17
L13	105	L5 and interconnect\$3 near6 node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:17
L14	46	chassis and server with routing near3 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:18
L15	479	card near5 rack and interface near4 card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:21
L16	186	L15 and (@AD < "19990715" or @PRAD < "19990715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:21

EAST Search History

L17	5	L16 and interconnect\$3 near4 server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:21
L18	9	L14 and (@AD < "19990715" or @PRAD < "19990715")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:21
S1	62	(server same switch same router) and load adj2 balanc\$3 and fail-over	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/16 11:17
S2	3472	server near3 integrat\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/01/29 15:28
S3	69	(server near3 integrat\$4) and (rout\$3 and switch\$3) near5 (function or capabilities)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/01/29 15:29
S4	125833	printed near2 circuit near2 board	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/03/31 10:41
S5	2452	single near2 printed near2 circuit near2 board	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/03/31 10:42
S6	11	(single near2 printed near2 circuit near2 board) same server	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/03/31 10:45
S7	346	(printed near2 circuit near2 board) and card near3 rack	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/03/31 10:45
S8	3029	server same switch same router	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/03/31 10:45
S9	5	((printed near2 circuit near2 board) and card near3 rack) and (server same switch same router)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/03/31 10:45
S10	7340	server near3 block	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/03/31 10:52
S11	166	(server near3 block) and (server near5 switch\$3 near5 rout\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/03/31 10:52
S12	106	((server near3 block) and (server near5 switch\$3 near5 rout\$3)) and port	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/03/31 10:57